




Katedry Molekulárnej biológie, genetiky a biochémie
Prírodovedeckej fakulty Univerzity Komenského
v spolupráci so Slovenskou spoločnosťou pre biochémiu a
molekulárnu biológiu

Vás pozývajú na 51. prednášku v rámci Kuželových seminárov:

Dr. Remus Thei Dame

Physics of Complex Systems, Department of Physics and Astronomy, Faculty of Sciences,
Vrije Universiteit, Amsterdam, The Netherlands



The role of nucleoid-associated proteins in the organization and compaction of bacterial chromatin


ktorá sa uskutoční 7. októbra 2005 (piatok) o 13:30 v miestnosti
B1-501 Prírodovedeckej fakulty UK

Remus Thei Dame, PhD.

1992-1997 – graduate study at Vrije Universiteit Amsterdam, Microbiology and Microbial Physiology; during this study 2 short stays at the Faculty of Science, Università degli studi Calabria and at the Department of Biotechnology, Università di Bologna

1998-2002 – PhD study “Architectural roles of H-NS and HU in DNA compaction and transcription regulation” at the Department of Molecular Genetics, Leiden Universiteit under supervision of Prof. van de Putte and Dr. N. Goosen.

From Oct. 2002 – postdoc at Physics of Complex Systems, Department of Physics and Astronomy, Faculty of Sciences, Vrije Universiteit, Amsterdam



References:

- Dame R.T. (2005). The role of nucleoid-associated proteins in the organization and compaction of bacterial chromatin. *Mol Microbiol.* **56**: 858-870
- Dame R.T., van Mameren J., Luijsterburg M.S., Mysiak M.E., Janicijevic A., Pazdzior G., van der Vliet P.C., Wyman C., Wuite G.J. (2005). Analysis of scanning force microscopy images of protein-induced DNA bending using simulations. *Nucleic Acids Res.* **33**: 68
- Dame R.T., Luijsterburg M.S., Krin E., Bertin P.N., Wagner R., Wuite G.J. (2005). DNA bridging: a property shared among H-NS-like proteins. *J. Bacteriol.* **187**:1845-1848.
- van Noort J., Verbrugge S., Goosen N., Dekker C., Dame R.T. (2004). Dual architectural roles of HU: formation of flexible hinges and rigid filaments. *Proc. Natl. Acad. Sci. USA* **101**: 6969-6974.
- Leliveld S.R., Dame R.T., Rohn J.L., Noteborn M.H., Abrahams J.P. (2004). Apoptin's functional N- and C-termini independently bind DNA. *FEBS Lett.* **557**: 155-158.
- Dame R.T., Wuite G.J. (2003). On the role of H-NS in the organization of bacterial chromatin: from bulk to single molecules and back. *Biophys. J.* **85**: 4146-4148.
- Leliveld S.R., Dame R.T., Mommaas M.A., Koerten H.K., Wyman C., Danen-van Oorschot A.A., Rohn J.L., Noteborn M.H., Abrahams J.P. (2003). Apoptin protein multimers form distinct higher-order nucleoprotein complexes with DNA. *Nucleic Acids Res.* **31**: 4805-4813.
- Dame R.T., Wyman C., Wurm R, Wagner R and Goosen N. (2002). Structural Basis for H-NS-mediated Trapping of RNA Polymerase in the Open Initiation Complex at the *rrnB* P1. *J. Biol. Chem.* **277**: 2146–2150.
- Dame R.T., Goosen N. (2002). HU: promoting or counteracting DNA compaction? *FEBS Lett.* **529**: 151-156
- Dame R.T., Wyman C., Wurm R., Wagner R., Goosen N. (2002). Structural basis for H-NS-mediated trapping of RNA polymerase in the open initiation complex at the *rrnB* P1. *J. Biol. Chem.* **277**: 2146-2150.
- Dame R.T., Wyman C., Goosen N. (2000). H-NS mediated compaction of DNA visualised by atomic force microscopy. *Nucleic Acids Res.* **28**: 3504-3510